Subject index

Acoustic dHvA effect 107, 126, 165, 176
Actinide compounds 16, 208, 678, 708, 792
Actinide intermetallics 141, 270, 694
Actinides 664
Alloying effect 795
Amorphous alloys 242, 261, 466, 563, 569
Anderson model 44, 112, 841
Anisotropic energy gap 115, 649, 1015
Anisotropy 185, 460, 1008
Annealing effect 487
Anomalous Hall effect 112, 703, 910
Anomalous magnetism 328
Antiferromagnet 390
Antiferromagnetic correlations 412, 590
Antiferromagnetic ordering 132, 258, 288, 500, 590, 612, 661, 684, 749, 989, 1056
Antiferromagnetism 188, 212, 218, 282, 291, 517, 577, 599, 687, 798, 925, 947, 968
APW method 77

Band structure 132, 860, 895, 903
Band theory 136, 156, 159, 179, 182, 850, 873, 903, 921
Bethe-ansatz 899
BIS 21, 38, 44, 59, 63, 66, 77, 86, 307, 557, 850, 915
Broken symmetry 907

c–f hybridization 684
Carrier doping 975, 981, 992
Ce-based alloys 242, 261
Cerium compounds 38, 44, 53, 273, 276, 409, 412, 503, 514, 521, 566
Cerium monopnictides 173, 444, 535, 544
Charge excitation gap 885
Charge ordering 437
Chemical pressure 507
Cooperative Jahn–Teller effect 627
Copper oxide carbonate 998
Coqblin–Schrieffer model 494, 497, 586, 841
Correlations 56, 500, 808, 921, 959, 1071
Critical exponents 785
Critical phenomena 104, 236
Crystal field effect 74, 195, 469, 571
Crystal field excitation 550, 670
Crystal field splitting 475, 497
Crystal fields 83, 185, 188, 393, 409, 531, 566, 574
Crystal structure 781
Crystalline electric fields 553, 918
Crystalline fields 891
CuO_2 plane 907, 925, 935, 947, 953, 1012
Cuprate superconductors 118
Cuprates 801, 968
Cyclotron mass 162

d–f Coulomb interaction 915
d–p model 907, 928, 935, 944, 953, 965
Dense Kondo 444
Dense Kondo compounds 541
Dense Kondo effect 451, 457, 472, 612, 627
Dense Kondo state 419, 544
Density of states 375
dHvA effect 104, 112, 115, 118, 123, 132, 136, 143, 147, 150, 153, 156, 159, 162, 182, 185, 761, 1056
dHvA oscillation 1050
Dichroism 879
Dilute magnetic alloys 239
Dilute uranium alloys 337
Dilution refrigerator 165
Dispersion 844

Elastic constants 258
Elastic properties 678
Electrical conductivity 858
Electrical properties 444
Electrical resistivity 242, 261, 454, 457, 466, 481, 485, 487, 503, 544, 593, 612, 661, 675, 727, 772, 781, 1043
Electron correlations 992
Electron–phonon coupling 813, 822
Electron–phonon interaction 365, 816
Electron–strain interaction 107, 126, 700
Electronic gap 378
Electronic structure 66, 80, 378, 873, 903, 935, 944, 1068
Electronic transition 444
Energy band picture 97, 136, 159, 182, 863
Energy gap 1, 201, 387, 403, 406, 416, 419, 428, 431, 440, 766, 921, 931, 1043

Exact diagonalization 928
Exact solution 828
Excitation spectrum 899

Fermi level tuning 307
Fermi liquid 118, 207, 910, 950, 971, 1056
Fermi surface 92, 97, 118, 123, 126, 132, 136, 139, 143, 156, 159, 162, 169, 173, 176, 182, 185, 655, 860, 903, 928, 931, 941, 1056
Ferromagnetic properties 1037
Ferromagnetism 83, 358, 514, 752, 772, 834, 913, 995
Field effect 1041
Filling 992
4f level 179
Frustration 478, 633, 863
Full-potential LAPW method 159, 169

Gap 372
Gap states 981
Gauge field 808

Hall coefficient 844
Hall effect 112, 643, 655, 703, 708, 720, 738, 808, 910, 998
^{3}He cryostat 165
Heat capacity 466, 639, 1030, 1043
Heavy electron 207, 355, 469, 500, 711, 1077
Heavy-electron superconductors 195, 245
Heavy fermion 1, 9, 59, 153, 165, 169, 212, 267, 294, 297, 303, 312, 328, 337, 341, 347, 378, 431, 454, 457, 478, 487, 503, 511, 577, 605, 612, 621, 624, 630, 681, 703, 734, 795, 841, 856, 858, 869, 910
Heavy-fermion compounds 844
Heavy-fermion materials 242, 466, 475, 550, 563
Heavy-fermion superconductivity 188, 248, 264, 300
Heavy-fermion superconductors 201, 218, 229, 251, 282, 285, 288, 788
Heavy-fermion systems 291, 358, 434, 507, 514, 521, 590, 687, 720, 723, 792, 888, 895
High-field magnetization 173, 396, 507
High-frequency conductivity 986
High magnetic fields 104, 173, 185, 291, 687, 720, 723, 895
High pressure 393, 472, 481, 503, 560, 593, 624, 687, 703, 772
High T_c 975
High-T_c cuprates 935, 941, 944, 962, 975, 1012, 1015
High-T_c superconductivity 104, 866, 931, 938, 986, 1001, 1004, 1008, 1018, 1022
High-T_c superconductors 1, 801, 808, 907, 998, 1027
Hole density 950, 1012
Hubbard model 834, 885, 928, 931, 950, 968, 1071
Hubbard systems 921
Hyperfine fields 1001

Impurity effect 769, 1004, 1015, 1018, 1022
Impurity states 375
In-gap state 928
Inelastic neutron scattering 1, 416
Insulator 372
Inter-site correlations 317
Intermediate valence 365, 412, 560, 593, 630, 678
Inverse photoemission 1068
Iron compounds 1037
Itinerant magnetism 596, 792, 834, 863, 947, 989

Knight shift 273, 285, 528, 535, 691, 1001, 1012, 1027, 1030, 1059, 1062
Kondo effect 239, 317, 344, 372, 409, 475, 547, 571, 574, 586, 590, 876, 888, 891, 1053
Kondo ferromagnet 53, 491, 618, 913
Kondo insulator 362, 375, 378, 425
Kondo lattice 358, 431, 481, 485, 566, 869
Kondo lattice compounds 412, 497, 703
Kondo lattice model 882, 913
Kondo-like behaviour 781
Kondo model 31
Kondo peak 605
Kondo resonance 26, 38, 70, 307
Kondo state 381, 769
Kondo temperature 915

Landau level 396
Lattice dynamics 816
Local density approximation 97
Localized bound states 384
Long-range Coulomb interaction 965
Long-range interaction 828, 831
Low carrier 9, 393, 396, 431, 434
Low carrier concentration 347
Low carrier density systems 422, 913
Low-carriers material 390
Low-frequency conductivity 938
Luttinger liquid 828, 831, 921

Magnetic diagram 694, 697, 775
Magnetic excitations 1, 365, 384, 925
Magnetic impurity 372
Magnetic ordering 566, 590, 700, 714, 741, 778, 834, 1065
Magnetic polaron 9, 387, 834
Magnetic properties 444, 608, 730
Magnetic quantum oscillation 173, 847
Magnetic structure 400, 531, 553, 646, 931

Magnetic susceptibility 236, 261, 355, 457, 466, 478, 485, 571, 605, 612, 661, 675, 714, 744, 752, 801, 869, 1041, 1043
Magnetism 879
Magnetization 511, 538, 590, 646, 723, 741, 752, 866, 1046
Magneto-optics 53, 56, 83, 580
Magnetocaloric effect 248
Magnetocrystalline anisotropy 918
Magnetoresistance 147, 242, 288, 291, 425, 538, 586, 708, 723, 738, 998
Magnetostriction 267, 521, 758
Majorana fermion 362
Maximum-entropy method 185
Metal–insulator transition 895, 992, 1030, 1077
Metal–semiconductor transition 387, 708
Metamagnetic transition 270, 511, 590, 652, 655, 684, 723, 844, 860
Metamagnetism 317, 507, 511, 521, 596, 687, 720, 734, 769
Mid-IR absorption 975
Mixed valences 50, 384, 428, 1004, 1022, 1077
Mössbauer effect 412, 714
Mössbauer spectroscopy 675
Mott insulator 981, 992, 1074
Mott transition 822, 931, 981
Multichannel Kondo effect 207, 312, 323, 337, 341
Multistep magnetization 396
μSR 223, 264, 273, 276, 300, 344, 412, 422, 615

NCA calculation 254
Neutron diffraction 258, 460, 652
Neutron quasi-elastic scattering 451, 475
Neutron scattering 341, 365, 384, 393, 409, 531, 550, 553, 574, 608, 670, 785, 925
Neutrons 664
New UCu_2Sn_2 compound 781
NMR 229, 285, 422, 517, 528, 535, 599, 621, 691, 755, 781, 792, 938, 1001, 1008, 1012, 1015, 1027, 1030, 1034, 1062
Noncollinear ferromagnet 785
Non-Fermi liquid behavior 312, 341
Nonmetallic systems 381
NQR 599, 717, 1015, 1027
Nuclear magnetic relaxation 422, 517, 599, 755
Nuclear spin-lattice relaxation 649, 717
Nuclear spin-lattice relaxation time 1008, 1027, 1030, 1059, 1062
Numerical renormalization group 888
Numerical renormalization group method 239, 323, 381, 891, 915

Off-diagonal optical conductivity 580
One-dimensional systems 358, 828, 899
Optical conductivity 53, 387, 440, 557, 915, 959, 975, 989
Optical properties 66
Orbital polarization 56
Organic conductors 1046, 1059, 1065, 1077
Organic metallic systems 1056
Oxide superconductors 813

p–f Coulomb interaction 915
Pairing mechanism 822, 1071
Periodic Anderson model 844, 885
Perovskites 895, 1062, 1074
PES 26, 59, 70, 915
Phase diagram 248, 264, 267, 279, 344, 358, 636, 652, 1077
Phase transitions 236, 670, 697, 741, 837, 895, 965, 971
Phonon dispersion 602
Photoemission 31, 38, 307, 403, 981, 1068, 1074
Photoemission spectroscopy 77, 86
Point contact spectroscopy 201
Positron annihilation 169
Praseodymium compounds 328
Pressure effect 248, 303, 419, 444, 531, 544, 697, 766, 1071
Pressure–temperature phase diagram 444
Proximity effect 1053

Quadrupolar interactions 837
Quadrupolar ordering 236, 670
Quadrupolar quenching 328
Quadrupole interactions 460
Quantum Monte Carlo method 381, 931

Raman scattering 968
Rare earth chalcogenides 347
Rare earth compounds 837
Rare earth hexaborides 627
Rare earth intermetallics 693
Rare earth monopnictides 9, 107
Rare earth pnictides 347
Rare earth ternary compounds 143, 403, 491
Rare earth transition metal compounds 918
Reduced moment ordering 254, 270, 273, 276, 615
Relativistic APW method 97, 136, 182
Relaxation rate 1034
Renormalization 334, 378
Resistivity 639, 766, 844
Resonant photoemission 21, 44, 50, 80, 89
RKKY interaction 334, 574, 590, 876, 888

Rotation effect 107
RVB 808

Scaling theory 841, 876
Self-interaction correction 179
Semimetal 761
Single crystal 50, 129, 469, 652
Singlet ground state 185
Slave boson 378, 941
Specific heat 248, 261, 297, 355, 375, 406, 434, 454, 457, 475, 478, 547, 590, 602, 605, 612, 658, 661, 711, 738, 764, 775, 801, 1030
Spin 879
Spin-fermion model 956
Spin fluctuations 451, 714, 752, 755, 769, 941, 944
Spin fluctuator 798
Spin gap 822, 882
Spin liquid 358
Spin-Peierls fluctuation 822
Spin susceptibility 1001, 1012
Static magnetic susceptibility 844
Strong electron–phonon coupling superconductors 1034
Structure 608
Superconducting mixed state 1050
Superconductivity 267, 279, 294, 297, 801, 816, 1046, 1053, 1056, 1071
Superconductors 239, 261, 303
Supersymmetry 831
Surface 44
Susceptibility 454, 590, 639, 711, 931, 1071

t–J model 828, 831, 899, 941, 956, 962
Thermal conductivity 494, 853, 1018
Thermal expansion 267, 279, 481, 521, 560, 577, 593, 618, 624, 758
Thermoelectric power 112, 525, 569, 643, 738, 801
Thin films 856
Tight-binding method 921
Titanates 992
Transition-metal oxides 921, 1074
Transmission electron microscopy 788
Transport property 643, 655, 694, 744, 801, 858, 959, 1018
Two-dimensional electronic systems 971
Two-dimensional filter 885
Two-impurity Anderson model 888
Two-impurity problem 334
Two-magnetic impurity 323

U intermetallic compounds 752
Ultrasonic attenuation 245, 279
Unconventional superconductivity 201, 212, 822, 856, 866
Unconventional superconductors 115, 248, 847, 853
Unoccupied density of states 805
UPS 80
Uranium compounds 16, 86, 188, 717, 734
Uranium intermetallics 195, 691, 697, 700, 727, 730, 744, 749, 764, 775, 778

Valence fluctuations 403, 409, 416, 422, 627
Valency fluctuation 879
Variational Monte Carlo 953
Vertex enhancement 938
Vortex lattice 118

Weak ferromagnetism 596, 758, 1065
Weak magnetism 229
Wigner crystal 9

X-ray absorption 16, 83, 981
X-ray method 788
X-ray synchrotrons 74
X-rays 664
XPS 16, 21, 63, 66, 77, 80, 86, 557, 879

Ytterbium compounds 615
Ytterbium Kondo lattice 254, 550
Ytterbium mixed-valence compounds 26
Ytterbium monopnictides 547

Materials index

Alkali-doped C_{60} 1068

BEDT 223
(Ba, K)BiO_3 223
$Bi_2Sr_2CaCu_2O_8$ 986

C_{60} 1068, 1071
(Ca, Y)VO_3 1030
Ce 31, 44, 590
(Ce, Cu) 242
(Ce, Ni) 563
(Ce, Ru) 242, 261
(Ce, Si) 242, 466
CeAg 38
CeAgGa 566
$CeAl_3$ 454, 624, 910
CeAs 153, 173, 528, 531, 535
CeB_2C 478
CeB_2C_2 478
CeB_6 118, 126, 236, 602
(Ce, La)B_6 627
$CeBe_{13}$ 31
CeBi 535
CeCuSn 583
$CeCu_2$ 569, 571
$CeCu_2Si_2$ 229, 279, 303, 895, 910
$CeCu_6$ 273, 569, 590, 910
Ce(Cu, Au)$_6$ 590
(Ce, Gd)Cu_6 586
CeGeGa 491
$CeInCu_2$ 577
$CeIn_3$ 92, 123
$CeIr_2$ 44
CeM_2Sn_2 (M = Ni, Pt, Cu, Pd) 487
CeNi 50, 97, 159, 560
$CeNi_{0.8}Pt_{0.2}$ 618
$CeNiAl_4$ 457, 599
CeNiSn 400, 403, 409, 412, 416, 431
Ce(Ni, Co)Sn 403
Ce(Ni, Pt)Sn 406
(Ce, La)NiSn 416
$CeNi_2Al_5$ 400, 599
CeP 393, 396, 528, 544
CePdGa 403
CePdSn 403, 409, 419
$CePd_2Al_3$ 63, 460, 497, 612
(Ce, La)Pd_2Al_3 612
(Ce, La)Pd_2Si_2 525
$CePd_3$ 38
$CePtSi_2$ 481
CePtSn 403, 409, 412
$CePt_2Sn_2$ 469, 475
$CeRh_3$ 44
$CeRh_3B_2$ 53, 74, 83
$CeRu_2Si_2$ 92, 97, 136, 147, 276, 503, 514, 521
Ce(Ru, Mo)$_2Si_2$ 511
Ce(Ru, Rh)$_2Si_2$ 500, 511, 517
(Ce, La, Y)Ru_2Si_2 317
(Ce, U)Ru_2Si_2 507
(Ce, Y)Ru_2Si_2 527
CeS 538, 541
CeSb 165, 169, 176, 535, 580
$CeSb_2$ 31
CeSe 538, 541
$CeSi_2$ 31, 38
$CeSn_3$ 97
CeTe 56
CeX (X = P, As, Sb, Bi) 347, 444
Ce(Zn, Cu)$_2$ 574
$Ce_3Au_3Sb_4$ 428
$Ce_3Bi_4Pt_3$ 425
$Ce_3Pt_3Sb_4$ 428
Ce_3X_4 (X = Se, Te) 347
(Co, Fe)Si 1043
(Cu, M) (M = Mn, Fe, Co, Ni) 1053

(DMe-DCNQI)$_2$Cu 1059
DyB_6 636, 646

Fe_2MnSi 1037
Fe_2VSi 1037

GdB_4 89
GdB_6 89
$GdInCu_4$ 633
GdTe 678
Gd_2S_3 89, 387

HfV_2 649
2H–$NbSe_2$ 1050
HoB_6 636

(K, Ba)BiO_3 816
K_3C_{60} 223, 1071

LSCO 941
La 179
LaB_6 107, 126
$LaBe_{13}$ 31
(La, Sr)CuO_4 975
$LaCu_2Sn_2$ 487
(La, Sr)MnO_3 995
LaNi 97
$LaRh_2$ 162
$LaRu_2Ge_2$ 143
$LaRu_2Si_2$ 92, 97, 136, 147
LaSb 156, 176, 179
$LaSn_3$ 97, 981, 992
(La, Sr)TiO_3 1074
(La, Sr)$_2CuO_4$ 816, 962, 1027
La_3Sb 873
$La_3Bi_4Pt_3$ 425
$LuAl_2$ 850
$LuAl_3$ 31, 850
LuAs 850
$LuPd_3$ 850
Lu_4As_3 850

Nb 1050, 1053
NbAs 664
$NbSe_2$ 118
NdB_6 132
(Nd, Ce)$Ba_2Cu_3O_{7-y}$ 1004
$NdIn_3$ 132
$NdRu_2Si_2$ 652
Nd_2CuO_4 925
NiO 921
$NpPd_2Al_3$ 681
$NpPt_3$ 694
NpX_3 (X = Ga, In, Ge, Sn) 675

PdCe 472
Pd_4Ce_3 472
Pd_5Ce_3 472
Pr 903
$PrCu_2Si_2$ 328
(Pr, Gd)Cu_2Si_2 328
(Pr, La)Cu_2Si_2 639
(Pr, Y)Cu_2Si_2 328
$PrPd_2Al_3$ 63
PrSb 185
$PuFe_2$ 664
PuX (X = S, Se, Te) 678

RB_6 (R = La, Ce, Pr, Nd, Sm, Gd, Tb, Dy) 627
RB_6 (R = La, Ce, Pr, Nd, Sm, Gd, Tb, Dy, Ho) 66
RGa_2 (R = La, Ce, Sm) 655
RIn_3 (R = La, Ce, Pr, Nd, Sm, Gd, Tb) 139
RIn_3 (R = La, Ce, Pr, Nd, Sm, Gd, Tb, Ho) 658
RNi_3 (R = Y, La, Ce) 596
R_2Ni_7 (R = Y, La, Ce) 596
RSb (R = La, Ce, Sm, Gd) 107
RTSb (R = Gd, Eu, Ce) (T = Pt, Au) 390
$RTiO_3$ (R = Y, La, Ca, Sr) 981
RVO_3 (R = Y, La, Ca, Sr) 981
RX (R = La, Ce) (X = P, As, Sb) 9
$R_3Ir_4Sn_{13}$ (R = La, Ce, Pr, Nd, Sm, Eu) 630
Rh_2O_3 921

Sm(Ag, In) 643
SmB_6 365, 384, 440
$SmPd_2Al_3$ 63, 661
SmSb 150
Sm_3Se_4 59, 422
Sm_4As_3 59
Sm_4Bi_3 59, 437
Sr(Ti, Nb)O_3 813
(Sr, La)TiO_3 1030
Sr_4As_3 850
$Sr_{n+1}V_nO_{3n+1}$ 1062

$(TMTSF)_2PF_6$ 223
TbB_6 636
$ThMn_2$ 863
ThNiSn 989
(Th, U)Pd_3 307
(Th, U)Ru_2Si_2 317
Ti_2O_3 921
$TlSr_2CaCu_2O_{7-y}$ 1012

U–T–Ga 734
UAl_2 769
UAs 755
UAuM (M = Al, Gd, Si, Ge, Sn) 744
UB_{12} 92, 97
(U, Th)Be_{13} 251
UC 21, 77, 92, 97
U(Co, Ni)$_2Ge_2$ 778
UCu_2Sn 766
UCu_2Sn_2 781
UCu_3Ga_2 766
UCu_3Si_2 727
U(Cu, Ga)$_4$ 734
UCu_5 207
$UFe_{10}Si_2$ 730
U(Fe, Al)$_{10}Si_2$ 730

UFe_5 664
UGe_2 21, 92, 97, 129, 182, 758, 772
UIn_3 798
UIr_2Si_2 727
UM_2Al_3 229
UNiGa 697, 775
$UNiGa_2$ 734
$UNiGa_3$ 734
$UNiGa_4$ 734
$U(Ni, Co)Ga_5$ 749
UNiSn 708, 989
UNi_2Al_3 188, 223, 282, 285
UNi_2Ga 734
UNi_4B 270
$U(Ni, Cu)_{10}Si_2$ 764
UO_2 16
UOs_3Si_2 727
UOs_4B_4 727
UPdGe 700
UPd_2Al_3 188, 195, 282, 285, 288, 291, 294, 297, 723
UPd_2Ga 734
UPd_2Si_2 684
UPd_3 670
$(U, Y)Pd_3$ 223
$U_{0.2}Y_{0.8}Pd_3$ 207
UPd_4 223, 344
UPt_2Ge_2 727
UPt_2Sn 691
UPt_3 212, 218, 223, 248, 258, 264, 267, 788, 847, 853, 860, 910
$U(Pt, Pd)_3$ 687
UPt_3B 727
UPt_3B_2 727
UPt_3Si_2 727
$U(Pt, Cu)_5$ 727
U(Ru, Rh)Al 752
URu_2Si_2 201, 223, 236, 300, 337, 720, 792, 795
$URu_2(Si, Ge)_2$ 795
$(U, R)Ru_2Si_2$ (R = La, Ce, Sc) 795
$(U, Th)Ru_2Si_2$ 337
$(U, Sr)(Ru, Tc)_2Si_2$ 795
URu_3Si_2 727
URu_4B_4 727
US 56
USb 664
(U, Tb)Sb 664
USn_3 798
$U(Sn, In)_3$ 714
$UTGa_5$ 749
UTGe (T = Ni, Pd, Pt) 741
UTe 56
UZn_{12} 711
$U_3Co_3Sb_4$ 717
$U_3Ni_3Sn_4$ 703
U_3P_4 761, 785
$U_3Rh_4Sn_{13}$ 738
$U_3T_3X_4$ (T = Ni, Cu and X = Sn, Sb) 86
$U_5Ru_6Sn_{18}$ 738

VO 921
V_2O_3 921
V_3Si 1034

YBCO 104, 941
$YBa_2Cu_3O_{6+x}$ 1
$YBa_2Cu_3O_{6.89}$ 1008
$YBa_2Cu_3O_7$ 104, 801, 813, 986, 1015
$YBa_2(Cu, T)_3O_{7-y}$ (T = Zn, Al) 1018
$(Y, M)Ba_2Cu_3O_7$ (M = Pr, Gd) 1018
$(Y, Pr)Ba_2Cu_3O_{7-y}$ 1004
$(Y, Tb)Ba_2Cu_3O_{7-y}$ 1022
$YBa_2Cu_4O_8$ 1001
$YFe_{10}Si_2$ 730
$(Y, U)Pd_3$ 307, 341, 344
$(Y, Ca)TiO_3$ 992
$(Y, Ca)VO_3$ 975
$Y_2Fe_3Si_5$ 1041
$YbAgCu_4$ 31
$YbAl_3$ 26, 31, 70
YbAs 347, 451, 621
$YbAuCu_4$ 254
YbB_6 80, 557
YbB_{12} 419
YbBiPt 207, 335, 550, 615
(Yb, Y)BiPt 615
$YbCu_2$ 26
$Yb(Cu, Al)_5$ 608
$YbCu_2Si_2$ 31, 593
$YbCu_4Ag$ 494
$YbCu_4In$ 494
$YbIn_2$ 26
YbN 254, 451
YbNiSb 463
YbNiSn 254
YbP 254, 451, 553, 557
$YbPd_2Si_2$ 485
$(Yb, La)Pd_2Si_2$ 485
$YbPd_3$ 26
YbX (X = N, P, As, Sb) 547
Yb_3S_4 605
Yb_4As_3 26, 347, 431, 434, 437, 557
Yb_4Bi_3 26

α-Fe_2O_3 921
α-Mn_2O_3 921
κ-$(BEDT–TTF)_2Cu(NCS)_2$ 1046, 1056
κ-$(BEDT–TTF)_2Cu[N(CN)_2]Br_2$ 1046
κ-$(ET)_2Cu[N(CN)_2]Cl$ 1065